

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	372	380/239.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 10:54
S3	1065	network near2 key near5 encrypt \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 10:58
S5	16	network near2 key near5 encrypt \$3 with (compar \$3 match\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:00
S6	1	network near2 key near5 encrypt \$3 with (compar \$3 match\$3) and (list near3 (white black))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:00
S8	12	key near3 encrypt \$3 with ((compar \$3 match) near3 list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:05
S10	421	380/200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:25
S11	15	key near2 ((black white) near2 list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:48
S12	6945	(compar\$3 match \$3 equait\$3 relat \$3) near3 (key id password secret code) near3 (list table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:54
S13	3	S2 and (compar \$3 match\$3 equait\$3 relat\$3) near3 (key id password secret code) near3 (list table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:55

S14	18190	(encrypt\$3 cipher\$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:56
S15	184	S2 and (encrypt\$3 cipher\$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:57
S16	6	S10 and (compar\$3 match\$3 equait\$3 relat\$3) near3 (key id password secret code) near3 (list table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:57
S17	122	S2 and (encrypt\$3 cipher\$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3) and (compar\$3 match\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:59
S18	33	S2 and (encrypt\$3 cipher\$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3) and (compar\$3 match\$3) and ecm	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 11:59
S19	3509	(validat\$3 authenticat\$3 verify\$3 authoriz\$3) near2 key near3 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52
S20	372	380/239.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52
S21	26	S20 and (validat\$3 authenticat\$3 verify\$3 authoriz\$3) near2 key near3 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52

S22	3351	"10" and (validat \$3 authenticat\$3 verify\$3 authoriz \$3) near2 key near3 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52
S23	421	380/200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52
S24	21	S23 and (validat \$3 authenticat\$3 verify\$3 authoriz \$3) near2 key near3 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 13:52
S25	519	compar\$3 near3 encrypt\$3 near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:43
S26	4	compar\$3 near3 encrypt\$3 near3 key near5 list	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:44
S27	1	compar\$3 near3 encrypt\$3 near3 key near5 authoriz \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:45
S28	55	compar\$3 near3 key near5 authoriz \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:46
S29	7	compar\$3 near3 key near5 authoriz \$3 near3 list	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:46
S30	15116	(authoriz\$3 authenticat\$3) near2 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:52
S31	144	(authoriz\$3 authenticat\$3) near2 key near3 list\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:54
S32	101	S31 and encrypt \$3 near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:54
S33	28	S32 and compar \$3 near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 14:55
S35	7623	encrypt\$3 near2 "encryption key"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 15:29
S36	139	compar\$3 near2 "encryption key"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 15:30

S37	960	authentica\$3 near2 "encryption key"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 15:30
S38	14	S35 and S36 and S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/03 15:30
S39	1072	test near2 (key code secret) near3 (transmit \$3 receiv\$3 provid \$3 comput\$3 calculat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 09:57
S40	422	380/200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 09:57
S41	0	S40 and test near2 (key code secret) near3 (transmit\$3 receiv \$3 provid\$3 comput\$3 calculat \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 09:57
S42	12	test near2 (key code secret) near3 (transmit \$3 receiv\$3 provid \$3 comput\$3 calculat\$3) with encryp\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 09:57
S43	209102	(key code secret) near3 (transmit \$3 receiv\$3 provid \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:03
S44	43428	(key code secret) near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:04
S45	28614	(key code secret) near2 return\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:04
S46	2654	S43 and S44 and S45	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:04
S47	11296	(key code secret) near3 (transmit \$3 receiv\$3 provid \$3) with (authentica\$3 authoriz\$3 validat \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:05

S48	887	S47 and S45 and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:06
S49	2527	(key code secret) near3 (transmit \$3 receiv\$3 provid \$3) with (authentica\$3 authoriz\$3 validat \$3) with encrypt \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:07
S50	310	S49 and S45 and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:07
S51	3	S40 and S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:07
S52	14	S50 and "encrypt key"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:09
S53	372	380/239.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:22
S54	792919	S53 and master key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:22
S55	12	S53 and ("master key" masterkey)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:23
S56	1722	(authentica\$3 validat\$3) near2 receiver	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:29
S57	12	(authentica\$3 validat\$3) near2 receiver near3 (exchang\$3 near2 key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:30
S58	124	(authentica\$3 validat\$3) near2 receiver near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:33
S60	1	S40 and (authentica\$3 validat\$3) near3 receiver near3 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 10:34

S61	1	varification near2 center	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:24
S65	612	challeng\$3 near2 distribut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:27
S66	2	S40 and challeng \$3 near2 distribut \$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:27
S67	2	challeng\$3 near2 distribut\$3 near3 authentikat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:29
S68	496	challeng\$3 near2 (provid\$3 send \$3 transmit\$3 transfer\$3 distribut\$3) near3 authentikat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:30
S72	21	challeng\$3 near2 (provid\$3 send \$3 transmit\$3 transfer\$3 distribut\$3) near3 authentikat\$3 with provider	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:32
S74	9	challeng\$3 near2 (provid\$3 send \$3 transmit\$3 transfer\$3 distribut\$3) near3 authentikat\$3 with provider and receiver	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:32
S75	25	challeng\$3 near2 (provid\$3 send \$3 transmit\$3 transfer\$3 distribut\$3) near3 (third near2 party)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:36
S77	18	"test key" near2 (provid\$3 send \$3 transmit\$3 transfer\$3 distribut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:40

S79	48704	key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:45
S80	151	S40 and key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:45
S81	191	S53 and key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:45
S82	15	S53 and key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 11:45
S83	4629	key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 12:54
S84	29	S40 and key near2 (provid\$3 send\$3 transmit\$3 transfer\$3 distribut\$3) with authenticat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/04 12:54
S87	372	380/239.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:05
S90	111	(encrypt\$3 cipher\$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3) and (black near2 list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:06
S91	422	380/200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:06

S93	23	(encrypt\$3 cipher \$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3) and (black near2 list) and video and audio	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:06
S94	13	(encrypt\$3 cipher \$3) near3 key with (transfer\$3 send\$3 receiv\$3 provid\$3) and (black near2 list) and video and audio and signature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:07
S95	19	(encrypt\$3 cipher \$3) near3 key with (black near2 list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/05 18:48
S105	64	(key same (black near2 list)) and signature	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 00:47
S106	23	(black unauthoriz \$3 unwant\$3 revock\$3) near3 list near4 key	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 09:57
S107	6	(black unauthoriz \$3 unwant\$3 revock\$3) near3 list near4 key with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 09:57
S108	8	(black unauthoriz \$3 unwant\$3 revock\$3 invalid \$3) near3 list near4 key with encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 09:59
S109	83	(black unauthoriz \$3 unwant\$3 revock\$3 invalid \$3) near3 list near4 key and encrypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 10:01
S111	18	drm and (key same (black near2 list))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 10:36

S112	20	(encrypt\$3 cipher \$3) with (black near2 list)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/06 10:37
------	----	---	--	----	-----	---------------------

9/ 7/ 2008 2:49:31 PM

C:\ Documents and Settings\ aabyaneh\ My Documents\ EAST\ Workspaces\ 10521451.w sp